



In Your Face:

Makeup contaminated with
asbestos

CALPIRG
Education Fund

In Your Face:
*Makeup Contaminated
With Asbestos*

CALPIRG Education Fund

Written by:
Dev Gowda and Kara Cook-Schultz

March 2018

Acknowledgments

CALPIRG Education Fund thanks individual contributors for their generous support of our work on toxics, public health, and consumer issues.

The authors bear responsibility for any factual errors. Policy recommendations are those of CALPIRG Education Fund. The views expressed in this report are those of the authors and do not necessarily reflect the views of our funders or those who provided review.

2018 CALPIRG Education Fund. Some Rights Reserved. This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/> or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA. All images of products and labels were taken by CALPIRG Education Fund after purchasing the products.

With public debate around important issues often dominated by special interests pursuing their own narrow agendas, CALPIRG Education Fund offers an independent voice that works on behalf of the public interest. CALPIRG Education Fund, a 501(c)(3) organization, works to protect consumers and promote good government. We investigate problems, craft solutions, educate the public, and offer meaningful opportunities for civic participation. For more information about CALPIRG Education Fund or for additional copies of this report, please visit www.CALPIRGedfund.org.

Report layout and cover: Dev Gowda and Kara Cook-Schultz

Introduction

The negative health effects of asbestos are well-known. Most people may associate asbestos contamination with the workplace or decades-old construction material, but alarmingly, recent media reports have found asbestos contamination in kids' makeup from popular stores like Claire's and Justice.

CALPIRG Education Fund (PIRG) decided to do its own asbestos testing at an accredited laboratory. PIRG's independent lab tested over a dozen makeup products that contained talc from a variety of stores and brands, including children's and teen's products as well as adult's products, and found three products containing asbestos currently sold by Claire's retail company.

PIRG calls on Claire's to immediately recall the three makeup products and investigate how such high levels of asbestos were found in these products. Also, we call on the Food and Drug Administration (FDA) to conduct regular testing on makeup products for asbestos contamination, especially those that contain talc.

Negative Health Effects of Asbestos

Asbestos is not used commercially in makeup, but can be found as a contaminant in talc, a common ingredient in cosmetics. Sparkly, shimmery, and powdery makeup often contains talc as a major ingredient. Inhaling or ingesting any form of asbestos can lead to serious health conditions, including lung cancer and mesothelioma.¹

While asbestos may be considered a trace contaminant, there is a known risk that these mineral fibers can lead to several pulmonary diseases and lung cancers, such as malignant mesothelioma, when they are inhaled. Research has shown that asbestos fibers can disrupt DNA and lead to tissue damage.² There are currently no effective means to predict which individuals exposed to asbestos will develop disease. Repeated topical exposure to asbestos may result in increased skin cancer risk over time. Short term increased risk of developing rashes would also be expected with use of asbestos containing products.

Asbestos Regulation

While the FDA considers it "unacceptable for cosmetic talc to be contaminated with asbestos"³, there is currently no national agency charged with testing kids' makeup for asbestos. While the

¹ World Health Organization. "Public Health: Asbestos." Available at http://www.who.int/ipcs/assessment/public_health/asbestos/en/

² Solbes E, Harper RW. Biological responses to asbestos inhalation and pathogenesis of asbestos-related benign and malignant disease. *Journal of Investigative Medicine*. Published Online First: 06 January 2018. doi: 10.1136/jim-2017-000628.

³ U.S. Food & Drug Administration. "Talc." Available at <https://www.fda.gov/Cosmetics/ProductsIngredients/Ingredients/ucm293184.htm>

FDA does occasionally test makeup for chemicals like lead and mercury, it does not do so regularly. Congress should take action to ensure that there's no asbestos contamination in cosmetics, and FDA should conduct regular tests on cosmetics for asbestos.

Asbestos Found in Claire's Makeup

After reading media reports purporting that some children's makeup contains asbestos, we did our own testing. PIRG tested over a dozen makeup products from a variety of stores and found three products containing asbestos (tremolite) currently sold by Claire's. The laboratory tests were done by STAT Analysis Corporation, an independent laboratory that is accredited for asbestos testing. The lab first conducted a PLM (polarized light microscopy) test for asbestos and found that three products tested positive for asbestos. The lab then performed the TEM (transmission electron microscopy) test to determine how many fibers of asbestos per gram each product contained. We then did a re-test of the TEM test to confirm the results, and those results are also listed in this report. FDA has also used both TEM and PLM methods in tests it conducted for asbestos in cosmetics.⁴

Claire's is a national retailer of cosmetics, jewelry, and novelties aimed at children, tweens, and young adults. We found three "shimmery" makeup products at Claire's which contain asbestos.

Our report and test results come after Claire's issued a recall of nine makeup products in December 2017 when those products tested positive for asbestos. Claire's first announced the recall on Twitter and later released a statement on its website.⁵ Later, on January 14, 2018, the company released an updated statement that, according to its internal testing, it did not find any asbestos in its products. In January 2018, we purchased makeup items from Claire's for testing. Despite Claire's assurances that their products were uncontaminated, we found asbestos in three of the products that we purchased after Claire's voluntarily pulled the original nine contaminated items off the shelf.

We are waiting to hear if Claire's will pull these other three products off the shelves after we shared this information with the company, and we are waiting to hear if Claire's is willing to do additional work to ensure that their consumers are safeguarded from asbestos contamination in their products. At this time, Claire's denies that their products contain asbestos.

⁴ See note 3.

⁵ Claires.com. Product and Safety. Available at <http://www.clares.com/us/product-and-safety.html?cid=product-and-safety>

Laboratory results indicated that the following three Claire's products contained asbestos:

1. Claire's Contour Palette

Price: \$9.99

UPC: 8887-1140-1947


Amount of asbestos found:

PLM test results: Tremolite 1-2%

TEM first round test results: 67,800 fibers of asbestos per gram of product (tremolite)

TEM re-test results: 84,746 fibers of asbestos per gram of product (tremolite)

The top left pink blush was tested.



2. Claire's Shadow and Highlight Finishing Kit

Price: \$9.99


UPC: 8887-1105-4358

PLM test results: Tremolite 1-2%

TEM first round test results: 38,000 fibers of asbestos per gram of product (tremolite)

TEM re-test results: 61,538 fibers of asbestos per gram of product (tremolite)

The top right brown shadow was tested.



3. Claire's Compact Powder (White)


Price: \$5.50

UPC: 8887-1183-9153

PLM test results: Tremolite 1-2%

TEM first round test results: 106,383 fibers of asbestos per gram of product (tremolite)

TEM re-test results: 153,846 fibers of asbestos per gram of product (tremolite)



Methodology

STAT Analysis Corporation analyzed the samples by Polarized Light Microscopy (PLM) and Transmission Electron Microscopy (TEM).⁶ FDA used PLM and TEM methods in the past when it commissioned tests for asbestos in cosmetics.⁷

For asbestos testing in talc in makeup, FDA has used a lab accredited by the National Institute of Standards and Technology (NIST). The FDA used a lab on NIST's list of labs⁸ that are accredited for both Bulk Asbestos Analysis and Airborne Asbestos Analysis for their cosmetics testing for asbestos (AMA Analytical Services), and we used another lab on the list, STAT Analysis Corporation.

Initial identification of asbestos fibers in the samples were made using polarized light microscopy according to morphology, sign of elongation, color of fiber, birefringence of the fibers, dispersion staining, and refractive indices. (*Reference: Polarized Light Microscopy to determine type of asbestos and calibrated visual estimated concentration in bulk materials. Method: EPA/600/R-93/116*).

STAT Analysis Corporation is accredited for EPA Method EPA 600/R-93/116 "Method for the Determination of Asbestos in Bulk Building Materials." The lab followed this method for the PLM analysis of these samples, and the results are indicated as percentage of asbestos components.

Subsequent identification and quantitation of asbestos fibers in the samples were made by transmission electron microscopy according to morphology, aspect ratio, diffraction pattern, and elemental composition by energy dispersive x-ray analysis. STAT Analysis Corporation is accredited for EPA Method 40 CFR Part 763, Subpart E, Appendix A, "Interim Transmission Electron Microscopy Analytical Methods – Mandatory and Nonmandatory – and Mandatory section to Determine Completion of Response Actions." The lab applied the analytical portion of this TEM method to the samples. However, this method is written for air samples, so the lab used the sample preparation method and counting rules given in "Kremer, T.; Millette, J.R., A Standard TEM Procedure for Identification and Quantitation of Asbestiform Minerals in Talc, Microscope (1990), 38."

The results are given in fibers of asbestos per gram of product sample. Detection Limit: 20,000 fibers/gram.

STAT Analysis Corporation then re-tested the three product samples that originally tested positive for asbestos. They re-tested using the TEM method, using the original samples, to ensure accuracy of the testing results. The TEM re-test confirmed that the three samples contained asbestos fibers, and the re-test results are also included in this report.

⁶ STAT Analysis Corporation's Certificate of Accreditation for Asbestos Fiber Analysis, which lists the specific EPA methods the lab is accredited to, can be found at <http://statanalysis.com/pdfs/STATAnalysisNVLAPCert.pdf>.

⁷ See Note 3.

⁸ National Institute of Standards and Technology. National Voluntary Laboratory Accreditation Program (NVLAP). Available at <https://www-s.nist.gov/niws/index.cfm?event=directory.search#no-back>.

Below are the results from the laboratory.

1) PLM Test:

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com



NVLAP Lab Code 101202-0

ASBESTOS ANALYSIS BY POLARIZED LIGHT MICROSCOPY

Method: EPA/600/R-93/116

U.S. Pirg Education Fund
218 D Street SE
Washington, DC 20003
Phone: (405) 613-0970

Reference:	Asbestos Makeup 1	Date Received:	01/10/2018
Location:		Date Analyzed:	01/19/2018
Batch No.:	333875	Date Reported:	01/19/2018
Customer No.:	4206	Turn Around Time:	5 Days

Laboratory Sample	Customer Sample Number	Asbestos Components (%)	Non-Asbestos Components (%)
333875001	1	Tremolite 1-2%	Binder 98-99%
333875002	2	ND	Binder 99-100%
333875003	3	Tremolite 1-2%	Binder 98-99%
333875004	4	Tremolite 1-2%	Binder 98-99%

2) TEM Test #1

STAT Analysis Corporation:

2242 W. Harrison, Suite 200, Chicago, Illinois 60612

Tel: 312.733.0551; Fax: 312.733.2386; e-mail address: STATinfo@STATAnalysis.com

**Identification and Quantitation of Asbestiform Minerals
BY
TRANSMISSION ELECTRON MICROSCOPY**

U.S. Pirg Education Fund

218 D Street SE
Washington, DC 20003
Phone: (405) 613-0970

STAT Batch:	334003_Rev1	Date Received:	01/19/18
Project No:		Date Analyzed:	01/26/18
Project Name:	Asbestos Makeup 1	Date Reported:	01/30/18
Average G.O.	0.013 mm ²		

Laboratory Sample Number	Client Sample Number	Client Sample Description	Amphibole (Tremolite)	
334003-001	1	Claire's contour blush top left	67,800	Fibers / gram
334003-002	3	Claire's shadow highlight finishing kit top right brown	38,000	Fibers / gram
334003-003	4	Claire's compact powder white	106,383	Fibers / gram

3) TEM Re-Test

STAT Analysis Corporation:

2242 W. Harrison, Suite 200, Chicago, Illinois 60612

Tel: 312.733.0551; Fax: 312.733.2386; e-mail address: STATinfo@STATAnalysis.com

**Identification and Quantitation of Asbestiform Minerals
BY
TRANSMISSION ELECTRON MICROSCOPY**

U.S. Pirg Education Fund

218 D Street SE

Washington, DC 20003

Phone: (405) 613-0970

STAT Batch:	334398	Date Received:	01/19/18
Project No:		Date Analyzed:	02/16/18
Project Name:	Asbestos Makeup 1	Date Reported:	02/19/18
Average G.O.	0.013 mm ²		

Laboratory Sample Number	Client Sample Number	Client Sample Description	Amphibole (Tremolite)	
334398-001	1	Claire's contour blush top left	84,746	Fibers / gram
334398-002	3	Claire's shadow highlight finishing kit top right brown	61,538	Fibers / gram
334398-003	4	Claire's compact powder white	153,846	Fibers / gram

Recommendations

For Consumers:

- Consumers should stop using the three products listed above immediately.
- Parents should avoid buying children's makeup products containing talc. Cosmetic talc can be contaminated with asbestos.⁹ FDA says that companies can prevent contamination of talc with asbestos, by selecting talc mining sites carefully and taking steps to purify the ore sufficiently.¹⁰ However, consumers have to contact companies directly to find out if their products' talc is sourced safely.
- Join us in calling on policymakers to conduct thorough tests on makeup containing talc for asbestos contamination and remove contaminated products from store shelves.

For Claire's:

- Immediately recall these three products and remove from store shelves.
- Issue a public statement about the recall due to asbestos contamination.
- Investigate how these makeup products came to contain such high levels of asbestos and make findings public.
- Ensure that other products sold or manufactured do not contain asbestos.
- Notify customers who purchased these products, where contact information is available, that they should stop using them due to asbestos contamination and offer a return for full refund.

For Policymakers and FDA:

- Policymakers should require makeup companies to test products for asbestos prior to selling them.
- FDA should conduct testing for other makeup products containing talc for asbestos.

About Us

CALPIRG Education Fund is a consumer and public health non-profit organization. We work to educate the public about chemical dangers in consumer products such as personal care products and cosmetics, food, and toys.

⁹ American Cancer Society, "Talcum powder and cancer," Nov. 13, 2017. <https://www.cancer.org/cancer/cancer-causes/talcum-powder-and-cancer.html>

¹⁰ See note 3.